

A. ULUSLARARASI HAKEMLİ DERGİLERDE YAYIMLANAN MAKALELER : (makale, derleme, vaka raporu ve diğer)

Uluslararası hakemli dergilerde yayınlanan eserlerine toplam 107 adet atıf yapılmıştır.

- A1.** Göğüş, F., H. Bozkurt ve S. Eren, "Nonenzymic browning reactions in multi sugar and amino acid systems", *Journal of Food Processing and Preservation*, **22**, 2, 81-91 (1998). Araştırmacının dışında, diğer araştırmacılar/kurumlar tarafından bu yayına 3 adet atıf yapılmıştır.

- 1 Gonzales, J.M., Laird D.A. "Role of smectites and Al-substituted goethites in the catalytic condensation of arginine and glucose" CLAYS AND CLAY MINERALS 52 (4): 443-450 AUG 2004
2. Li X, Ricke SC "Specificity of *Escherichia coli* lysine auxotroph growth kinetics and lysine assay response to various soluble maillard reaction products" J FOOD PROCESS PRES 26 (4): 279-294 OCT 2002
3. Lertsiri S, Maungma R, Assavanig A, Bhumiratana A "Roles of the Maillard reaction in browning during Moromi process of Thai soy sauce" J FOOD PROCESS PRES 25 (2): 149-162 MAY 2001

- A2.** Göğüş, F., H. Bozkurt ve S. Eren, "Kinetics of Maillard reactions between the major sugars and amino acids of boiled grape juice", *Lebensmittel Wissenschaft-Und Technologie*, **31**, 196-200 (1998). Araştırmacının dışında, diğer araştırmacılar/kurumlar tarafından bu yayına 18 adet atıf yapılmıştır.

1. Lievonen SM, Laaksonen TJ, Roos YH "Nonenzymatic browning in food models in the vicinity of the glass transition: Effects of fructose, glucose, and xylose as reducing sugar" J AGR FOOD CHEM 50 (24): 7034-7041 NOV 20 2002
2. Olivas GI, Rodriguez JJ, Sepulveda DR, , Warner H. Clark S., Barbosa-Canovas GV "Residual gas volume effect on quality of retort pouch wet-pack pears" J FOOD PROCESS ENG 25 (4): 233-249 OCT 2002
3. Jousse F, Jongen T, Agterof W, Russell S, Braat P. "Simplified kinetic scheme of flavor formation by the Maillard reaction" J FOOD SCI 67 (7): 2534-2542 SEP 2002
4. Zeppa G, Giordano M, Gerbi V, Megliolii G "Characterisation of volatile compounds in three acetification batteries used for the production of "Aceto Balsamico Tradizionale di Reggio Emilia" ITAL J FOOD SCI 14 (3): 247-266 2002
5. Akkan AA, Ozdemir Y, Ekiz HL. "Derivative spectrophotometric determination of 5-(hydroxymethyl)-2-furaldehyde (HMF) and furfural in Locust bean extract" NAHRUNG 45 (1): 43-46 FEB 2001
6. Palma M, Taylor LT "Supercritical fluid extraction of 5-hydroxymethyl-2-furaldehyde from raisins" J AGR FOOD CHEM 49 (2): 628-632 FEB 2001
7. Cocchi M, Durante C, Foca G, Manzini D, Marchetti A, Ulrici A. "Application of a wavelet-based algorithm on HS-SPME/GC signals for the classification of balsamic vinegars" Chemometrics And Intelligent Laboratory Systems 71 (2): 129-140, 2004

8. Rattanathanalerk M, Chiewchan N, Srichumpoung W Effect of thermal processing on the quality loss of pineapple juice JOURNAL OF FOOD ENGINEERING 66 (2): 259-265 JAN 2005
 9. Frank D, Gould I, Millikan M Browning reactions during storage of low-moisture Australian sultanas: Effects of vine nitrogen nutrition on subsequent arginine-mediated Maillard reactions during storage of dried fruit AUSTRALIAN JOURNAL OF GRAPE AND WINE RESEARCH 11 (1): 15-23 2005
 10. Tosun I Color changes and 5-hydroxymethyl furfural formation in zile pekmezi during storage GRASAS Y ACEITES 55 (3): 259-263 JUL-SEP 2004
 11. Muratore G, Licciardello F, Restuccia C, et al. Role of different factors affecting the formation of 5-hydroxymethyl-2-furancarboxaldehyde in heated grape must JOURNAL OF AGRICULTURAL AND FOOD CHEMISTRY 54 (3): 860-863 FEB 8 2006.
 12. Cocchi M, Ferrari G, Manzini D, et al. Simultaneous determination of sugars and organic acids in aged vinegars and chemometric data analysis, TALANTA, 69: 1166-1175 2006.
 13. Cocchi M, Ferrari G, Manzini D, et al. Study of the monosaccharides and furfurals evolution during the preparation of cooked grape musts for Aceto Balsamico Tradizionale production JOURNAL OF FOOD ENGINEERING 79 (4): 1438-1444 APR 2007.
 14. Simsek A, Poyrazoglu ES, Karacan S, et al. Response surface methodological study on HMF and fluorescent accumulation in red and white grape juices and concentrates FOOD CHEMISTRY 101 (3): 987-994 2007.
 15. Zhao B, Hall CA, Composition and antioxidant activity of raisin extracts obtained from various solvents : FOOD CHEMISTRY: 108 : 511-518 MAY 15 2008
 16. Liu SC, Yang DJ, Jin SY, Hsu CH, Chen S Kinetics of color development, pH decreasing, and anti-oxidative activity reduction of Maillard reaction in galactose/glycine model systems FOOD CHEMISTRY, 108, 533-541, MAY 15 2008
 17. Tagliazucchi D, Verzelloni E, Conte A Antioxidant properties of traditional balsamic vinegar and boiled must model systems EUROPEAN FOOD RESEARCH AND TECHNOLOGY 227 3 835-843 JUL 2008
 - 18 Chen SL, Yang DJ, Chen HY, et al. "Effect of hot acidic fructose solution on caramelisation intermediates including colour, hydroxymethylfurfural and antioxidative activity changes" FOOD CHEMISTRY 114 : 582-588 MAY 15 2009
- A3.** Bozkurt, H., F. Göğüş ve S. Eren, "Nonenzymic browning reactions in boiled grape juice and its models during the storage", *Food Chemistry*, **64**, 89-93 (1999). Araştırmacıının dışında, diğer araştırmacılar/kurumlar tarafından bu yayına 29 adet atıf yapılmıştır.
1. Olivas GI, Rodriguez JJ, Sepulveda DR, Warner H. Clark S., Barbosa-Canovas GV. "Residual gas volume effect on quality of retort pouch wet-pack pears" J FOOD PROCESS ENG 25 (4): 233-249 OCT 2002

2. Jousse F, Jongen T, Agterof W, Russell S, Braat P. "Simplified kinetic scheme of flavor formation by the Maillard reaction" *J FOOD SCI* 67 (7): 2534-2542 SEP 2002
3. Palma M, Taylor LT "Supercritical fluid extraction of 5-hydroxymethyl-2-furaldehyde from raisins" *J AGR FOOD CHEM* 49 (2): 628-632 FEB 2001
4. Sevim Kaya and Aysun Maskan "Water vapor permeability of pestil (a fruit leather) made from boiled grape juice with starch", *Journal of Food Engineering*, 57 (3), 295-299, May 2003.
5. Ilkay Tosun and N. Sule Ustun Nonenzymic browning during storage of white hard grape pekmez (Zile pekmezi), *Food Chemistry*, 80 (4), 441-443, April 2003.
6. Sengul M, Ertugay MF, Sengul M Rheological, physical and chemical characteristics of mulberry pekmez. *FOOD CONTROL* 16 (1): 73-76 JAN 2005
7. Rattanathanalerk M, Chiewchan N, Srichumpoung W Effect of thermal processing on the quality loss of pineapple juice *JOURNAL OF FOOD ENGINEERING* 66 (2): 259-265 JAN 2005
8. Patzold R, Bruckner H Mass spectrometric detection and formation of D-amino acids in processed plant saps, syrups, and fruit juice concentrates *JOURNAL OF AGRICULTURAL AND FOOD CHEMISTRY* 53 (25): 9722-9729 DEC 14 2005
9. Batu A Production of liquid and white solid pekmez in Turkey *JOURNAL OF FOOD QUALITY* 28 (5-6): 417-427 OCT-DEC 2005.
10. Tosun I Color changes and 5-hydroxymethyl furfural formation in zile pekmezi during storage *GRASAS Y ACEITES* 55 (3): 259-263 JUL-SEP 2004.
11. Karababa E, Isikli ND Pekmez: A traditional concentrated fruit product *FOOD REVIEWS INTERNATIONAL* 21 (4): 357-366 2005
12. Kus S, Gogus F, Eren S Hydroxymethyl furfural content of concentrated food products *INTERNATIONAL JOURNAL OF FOOD PROPERTIES* 8 (2): 367-375 2005
13. Turkmen N, Sari F, Poyrazoglu ES, Velioglu YS. Effects of prolonged heating on antioxidant activity and colour of honey *FOOD CHEMISTRY* 95 (4): 653-657 APR 2006
14. Tulek Y, Yilmaz S Use of clarifying agents and ultra filter to decrease fumaric acid, HMF and increase clarity of apple juice *JOURNAL OF FOOD QUALITY* 29 (3): 216-228 JUN 2006
15. Wang HY, Hu XS, Chen F, et al. Kinetic analysis of non-enzymatic browning in carrot juice concentrate during storage *EUROPEAN FOOD RESEARCH AND TECHNOLOGY* 223 (2): 282-289 JUN 2006
16. Muratore G, Licciardello F, Restuccia C, et al. Role of different factors affecting the formation of 5-hydroxymethyl-2-furancarboxaldehyde in heated grape must *JOURNAL OF AGRICULTURAL AND FOOD CHEMISTRY* 54 (3): 860-863 FEB 8 2006
17. Cocchi M, Ferrari G, Manzini D, et al. Study of the monosaccharides and furfurals evolution during the preparation of cooked grape musts for Aceto Balsamico

Tradizionale production JOURNAL OF FOOD ENGINEERING 79 (4): 1438-1444 APR 2007

18. Simsek A, Poyrazoglu ES, Karacan S, et al. Response surface methodological study on HMF and fluorescent accumulation in red and white grape juices and concentrates FOOD CHEMISTRY 101 (3): 987-994 2007
19. Sengul M, Ertugay MF, Sengul M, et al. Rheological characteristics of carob pekmez INTERNATIONAL JOURNAL OF FOOD PROPERTIES 10 (1): 39-46 2007
20. Quintas MAC, Brandao TRS, Silva CLM Modelling colour changes during the caramelisation reaction JOURNAL OF FOOD ENGINEERING 83 (4): 483-491 DEC 2007
21. Zhao B, Hall CA. Antioxidant activity of raisin extracts in bulk oil, oil in water emulsion, and sunflower butter model systems JOURNAL OF THE AMERICAN OIL CHEMISTS SOCIETY 84 (12): 1137-1142 DEC 2007.
22. Li H, Guo A, Wang H. Mechanisms of oxidative browning of wine, FOOD CHEMISTRY, 108,: 1-13: MAY 1 2008
23. Zhao B, Hall CA, Composition and antioxidant activity of raisin extracts obtained from various solvents : FOOD CHEMISTRY: 108 : 511-518 MAY 15 2008
24. Vaikousi H, Koutsoumanis K, Biliaderis CG : Kinetic modelling of non-enzymatic browning of apple juice concentrates differing in water activity under isothermal and dynamic heating conditions : FOOD CHEMISTRY 107 785-796 : MAR 15 2008
25. Tagliazucchi D, Verzelloni E, Conte A Antioxidant properties of traditional balsamic vinegar and boiled must model systems EUROPEAN FOOD RESEARCH AND TECHNOLOGY 227 3 835-843 JUL 2008
26. Akbulut M, Coklar H, Ozen G "Rheological Characteristics of Juniperus drupacea Fruit Juice (pekmez) Concentrated by Boiling" FOOD SCIENCE AND TECHNOLOGY INTERNATIONAL 14 : 321-328 AUG 2008
27. Zhu DZ, Ji BP, Eum HL, et al. "Evaluation of the non-enzymatic browning in thermally processed apple juice by front-face fluorescence" spectroscopy. FOOD CHEMISTRY 113 : 272-279 MAR 1 2009
28. Aguiló-Aguayo I, Soliva-Fortuny R, Martín-Belloso O "Avoiding non-enzymatic browning by high-intensity pulsed electric fields in strawberry, tomato and watermelon juices" JOURNAL OF FOOD ENGINEERING 92 : 37-43 MAY 2009
29. Bilgicli N, Akbulut Me "Effects of Different Pekmez (Fruit Molasses) Types on Chemical, Nutritional Content and Storage Stability of Cake" Journal Of Food Quality : 32 : 96-107 Feb 2009

A4. Bozkurt, H. ve O. Erkmen, "Predictive modeling of *Yersinia enterocolitica* inactivation in Turkish Feta cheese during storage", *Journal of Food Engineering*, **47**, 81-87 (2001). Arastırmacının dışında, diğer araştırmacılar/kurumlar tarafından bu yayına 9 adet atıf yapılmıştır.

1. Erkmen O "Mathematical modeling of *Escherichia coli* inactivation under high-pressure carbon dioxide" J BIOSCI BIOENG 92 (1): 39-43 JUL 2001

2. Daniel E. Wachenheim, John A. Patterson and Michael R. Ladisch "Analysis of the logistic function model: derivation and applications specific to batch cultured microorganisms", *Bioresource Technology*, 86 (2), 157-164, January 2003.
3. Sen MKC, Temelli S, Evrensel SS "Survival of Yersinia enterocolitica during the manufacture and ripening of Mihalic cheese" *Turkish Journal Of Veterinary & Animal Sciences*, 27 (4): 1029-1034 2003
4. Erkmen O "Mathematical modeling of *Saccharomyces cerevisiae* inactivation under high-pressure carbon dioxide" *Nahrung-Food*, 47 (3): 176-180, 2003
5. Bayram M Modelling of cooking of wheat to produce bulgur *JOURNAL OF FOOD ENGINEERING* 71 (2): 179-186 NOV 2005
6. Roupas P Predictive modelling of dairy manufacturing processes *INTERNATIONAL DAIRY JOURNAL* 18 7 741-753 JUL 2008
7. Erkmen O "Mathematical modeling of *Salmonella typhimurium* inactivation under high hydrostatic pressure at different temperatures". *FOOD AND BIOPRODUCTS PROCESSING* : 68-73 MAR 2009
8. Celekli A, Yavuzatmaca M "Predictive modeling of biomass production by *Spirulina platensis* as function of nitrate and NaCl concentrations" *BIORESOURCE TECHNOLOGY* 100: 1847-1851 MAR 2009
9. Liao HM, Zhang Y, Hu XS, et al. "Behavior of inactivation kinetics of *Escherichia coli* by dense phase carbon dioxide" *INTERNATIONAL JOURNAL OF FOOD MICROBIOLOGY* 126: 93-97 AUG 15 2008

A5. Bozkurt, H. ve O. Erkmen, "Effects of starter cultures and additives on the quality of Turkish style sausage (sucuk)", *Meat Science*, **61**, 149-156 (2002). Araştırmacının dışında, diğer araştırmacılar/kurumlar tarafından bu yayına 17 adet atıf yapılmıştır.

1. Ekici K, Sekeroglu R, Sancak YC, Noyan T. "Note on histamine levels in Turkish style fermented sausages" *Meat Science* 68 (1): 123-125, 2004
2. Gonulalan Z, Yetim H, Kose A "Quality characteristics of doner kebab made from sucuk dough which is a dry fermented Turkish sausage" *Meat Science* 67 (4): 669-674, 2004
3. Kayaardi S, Gok V "Effect of replacing beef fat with olive oil on quality characteristics of Turkish soudjouk (sucuk)" *Meat Science* 66 (1): 249-257, 2004
4. Kaya M, Aksu MI Effect of modified atmosphere and vacuum packaging on some quality characteristics of sliced 'sucuk' produced using probiotics culture *JOURNAL OF THE SCIENCE OF FOOD AND AGRICULTURE* 85 (13): 2281-2288 OCT 2005
5. Matos, TJS, Bernando, FMA, Barreto, ASFH. Effect of surface treatments on chemical and physical properties of Portuguese smoked dry sausages and determination of product costs. *Cienc. Tecnol., Aliment.*, Vol 4, No:5, 306-314, 2005.

6. Kok F, Oksuztepe G, Ilhak OI, et al. Chemical and microbiological quality of fermented sausages made from camel meat MEDYCYNA WETERYNARYJNA 62 (8): 893-896 AUG 2006
7. Kalac P Biologically active polyamines in beef, pork and meat products: A review MEAT SCIENCE 73 (1): 1-11 MAY 2006
8. Miguelez-Arrizado MJ, Bover-Cid S, Latorre-Moratalla ML, et al. Biogenic amines in Spanish fermented sausages as a function of diameter and artisanal or industrial origin JOURNAL OF THE SCIENCE OF FOOD AND AGRICULTURE 86 (4): 549-557 MAR 2006
9. Temelli S., Anar S, Sen MKC, ve Beyaz D. Heat Treated Turkish Style Sucuk: Evaluation Of Microbial Contaminations in Processing Steps, Uludag Univ. J. Fac. Vet. Med. 24, 1-2-3-4: 81-88 2005
10. Genccelep H, Kaban G, Kaya M., Effects of starter cultures and nitrite levels on formation of biogenic amines in sucuk MEAT SCIENCE 77 (3): 424-430 NOV 2007
11. Kundakci A, Kayacier A, Ergonul B, Effect of starter culture and packaging on the chemical, microbiological and sensory quality of turkish soudjouck (sucuk) INTERNATIONAL JOURNAL OF FOOD PROPERTIES 10 (3): 537-547 2007
12. Matos T.J.S., Jensen B.B., Bernardo F.M.A., Barreto, A. H. S., Hojberg, O. Mycoflora of two types of Portuguese dry-smoked sausages and inhibitory effect of sodium benzoate, potassium sorbate, and methyl p-hydroxybenzoate on mold growth rate JOURNAL OF FOOD PROTECTION 70 (6): 1468-1474 JUN 2007
13. Gencelep H, Kaban G, Aksu MI, Oez F, Kaya M: Determination of biogenic amines in sucuk FOOD CONTROL 19 : 868-872 SEP 2008
14. Yildiz-Turp G, Serdaroglu M Effect of replacing beef fat with hazelnut oil on quality characteristics of sucuk - A Turkish fermented sausage MEAT SCIENCE, 78, 447-454, APR 2008
15. Erkmen O "Survival of Staphylococcus aureus and aerobic bacteria in sucuks made from starter culture and Thymbra spicata during manufacturing and storage" FOOD AND BIOPRODUCTS PROCESSING 87 ; 62-67 MAR 2009
16. Eren I, Yildiz-Turp G, Kaymak-Ertekin F, et al. "The Effect of External Mass Transfer Resistance during Drying of Fermented Sausage" DRYING TECHNOLOGY 26: 1543-1551 2008
17. Porto-Fett ACS, Hwang CA, Call JE, et al. "Viability of multi-strain mixtures of Listeria monocytogenes, Salmonella typhimurium, or Escherichia coli O157 : H7 inoculated into the batter or onto the surface of a soudjouk-style fermented semi-dry sausage" FOOD MICROBIOLOGY 25 793-801 : SEP 2008

A6. Bozkurt, H. ve O. Erkmen, "Formations of biogenic amines in Turkish style sausage during ripening and storage periods", *Journal of Food Quality*, **25**, 4, 317-333 (2002). Arastırmacının dışında, diğer araştırmacılar/kurumlar tarafından bu yayına 1 adet atıf yapılmıştır.

1. Gencelep H, Kaban G, Aksu MI, Oez F, Kaya M: Determination of biogenic amines in sucuk FOOD CONTROL 19 : 868-872 SEP 2008

- A7.** Mason, Y., P. Ainsworth, D. Fuller, H Bozkurt, ve Ş. İbanoğlu, "Growth of *Pseudomonas fluorescens* and *Candida sake* in homogenized mushrooms under modified atmosphere", *Journal of Food Engineering*, **54**, 125-131 (2002). Araştırmacının dışında, diğer araştırmacılar/kurumlar tarafından bu yayına 2 adet atıf yapılmıştır.
1. Yeo SH, Chua LY. "Adhesion of *Pseudomonas fluorescens* on magnetic surfaces" *Colloids and Surfaces B-Biointerfaces* 36 (2): 75-80 JUL 15 2004
 2. Santana CC, Vanetti MCD, Kasuya MCM Microbial growth and colour of minimally processed shiitake mushroom stored at different temperatures *INTERNATIONAL JOURNAL OF FOOD SCIENCE AND TECHNOLOGY* 43 7 1281-1285 JUL 2008
- A8.** Helen, T., P. Ainsworth, Ş. İbanoğlu ve H. Bozkurt, "Modelling the growth of *Pseudomonas fluorescens* and *Candida sake* in ready-to-eat meals". *Journal of Food Engineering*, **65**, 137-143 (2004). Araştırmacının dışında, diğer araştırmacılar/kurumlar tarafından bu yayına 3 adet atıf yapılmıştır.
1. Corradini MG, Peleg M Shelf-life estimation from accelerated storage data *TRENDS IN FOOD SCIENCE & TECHNOLOGY* 18 (1): 37-47 2006.
 2. Smith-Simpson S, Corradini MG, Normand MD, et al. "Estimating microbial growth parameters from non-isothermal data: A case study with *Clostridium perfringens*" *INTERNATIONAL JOURNAL OF FOOD MICROBIOLOGY* 118 (3): 294-303 SEP 30 2007
 3. Kang YH, Kim BR, Choi HJ, Seo JG, Kim, B.-H., Han, M.-S. Enhancement of algicidal activity by immobilization of algicidal bacteria antagonistic to *Stephanodiscus hantzschii* (Bacillariophyceae) *JOURNAL OF APPLIED MICROBIOLOGY* 103 (5): 1983-1994 NOV 2007
- A9.** Bozkurt, H. ve O. Erkmen, "Effect of nitrate/nitrite on the quality sausage (sucuk) during ripening and storage". *Journal of the Science of Food and Agriculture*, **84**, 279-286 (2004). Araştırmacının dışında, diğer araştırmacılar/kurumlar tarafından bu yayına 3 adet atıf yapılmıştır.
1. Ruiz-Capillas C, Aller-Guiote P, Jimenez-Colmenero F Application of flow injection analysis to determine protein-bound nitrite in meat products *FOOD CHEMISTRY* 101 (2): 812-816 2007
 2. Gencelep H, Kaban G, Aksu MI, Oez F, Kaya M: Determination of biogenic amines in sucuk *FOOD CONTROL* 19 : 868-872 SEP 2008
 3. Eren I, Yildiz-Turp G, Kaymak-Ertekin F, et al. "The Effect of External Mass Transfer Resistance during Drying of Fermented Sausage" *DRYING TECHNOLOGY* 26: 1543-1551 2008
- A10.** Bozkurt, H. ve O. Erkmen, "Effect of temperature, humidity and additives on the formation of biogenic amines in sucuk during ripening and storage periods". *Food Science and Technology International*, **10**, 21-28 (2004). Araştırmacının dışında, diğer araştırmacılar/kurumlar tarafından bu yayına 4 adet atıf yapılmıştır.
1. Kalac P Biologically active polyamines in beef, pork and meat products: A review *MEAT SCIENCE* 73 (1): 1-11 MAY 2006

2. Gencelep H, Kaban G, Aksu MI, Oez F, Kaya M: Determination of biogenic amines in sucuk FOOD CONTROL 19 : 868-872 SEP 2008
3. Coloretti F, Chiavari C, Armaforte E, et al. "Combined Use of Starter Cultures and Preservatives To Control Production of Biogenic Amines and Improve Sensorial Profile in Low-Acid Salami" JOURNAL OF AGRICULTURAL AND FOOD CHEMISTRY 56: 11238-11244 DEC 10 2008
4. Erkmen O "Modeling the effects of sucuk production technique on Listeria monocytogenes, aerobic bacteria and lactic acid bacteria during ripening and storage" FOOD AND BIOPRODUCTS PROCESSING 86 : 220-226 SEP 2008

A11. Erkmen, O. ve H Bozkurt, "Quality characteristics of retailed sucuk (Turkish dry-fermented sausage)", *Food Technology and Biotechnology*, **42**, 63-69 (2004). Araştırmacının dışında, diğer araştırmacılar/kurumlar tarafından bu yayına 2 adet atıf yapılmıştır.

1. Paley E., Denisova G., Sokolova, O., Posternak, N., Wang, X.. and Anna-Liisa A. B. "Tryptamine induces tryptophanyl-tRNA synthetase-mediated neurodegeneration with neurofibrillary tangles in human cell and mouse models" *NeuroMolecular Medicine*, 9, 55-82, 2007.
2. Gencelep H, Kaban G, Aksu MI, Oez F, Kaya M: Determination of biogenic amines in sucuk FOOD CONTROL 19 : 868-872 SEP 2008

A13. Bozkurt, H. ve O. Erkmen, "Effects of salt, starter culture and production techniques on the quality of hot pepper paste". *Journal of Food Engineering*, **69**, 473-479 (2005). Araştırmacının dışında, diğer araştırmacılar/kurumlar tarafından bu yayına 1 adet atıf yapılmıştır.

1. Flores N.C., VanLeeuwen D., Pennock R.D. The effect of calcium on microbial quality and consistency of chile pepper (*Capsicum annuum* cv. *Mesilla Cayenne*) mash during LWT-FOOD SCIENCE AND TECHNOLOGY 40 (8): 1482-1487 2007

A15. Bozkurt, H. "Investigation the effect of sumac extract and BHT addition on the quality of sucuk (Turkish dry-fermented sausage)". *Journal of the Science of Food and Agriculture*, 86, 849-856 (2006). Araştırmacının dışında, diğer araştırmacılar/kurumlar tarafından bu yayına 3 adet atıf yapılmıştır.

1. Apak, R, Guclu K, Demirata B, Ozyurek M., Celik SE., Bektasoglu B., Berker KI., Ozyurt D., Comparative evaluation of various total antioxidant capacity assays applied to phenolic compounds with the CUPRAC assay MOLECULES 12 (7): 1496-1547 JUL 2007.
2. Rayne S, Mazza GBiological activities of extracts from sumac (*Rhus spp.*): A review PLANT FOODS FOR HUMAN NUTRITION 62 (4): 165-175 DEC 2007
3. Gencelep H, Kaban G, Aksu MI, Oez F, Kaya M: Determination of biogenic amines in sucuk FOOD CONTROL 19 : 868-872 SEP 2008

A16. Bozkurt, H. "Utilization of natural antioxidants; green tea extract and Thymbra spicata oil in Turkish dry-fermented sausage", *Meat Science*, 73, 442-450 (2006).

Araştırmacının dışında, diğer araştırmacılar/kurumlar tarafından bu yayına 3 adet atıf yapılmıştır.

1. Azırak, S. Karaman S. "Allelopathic effect of some essential oils and components on germination of weed species" Acta Agriculturae Scandinavica Section B-Soil and Plant Science, 1-5, 2007
 2. Banon S, Diaz P, Rodriguez M, Garrido MD, Price A Ascorbate, green tea and grape seed extracts increase the shelf life of low sulphite beef patties MEAT SCIENCE : 626-633 : DEC 2007.
 3. Martin-Diana AB, Rico D, Barry-Ryan C. Green tea extract as a natural antioxidant to extend the shelf-life of fresh-cut lettuce, INNOVATIVE FOOD SCIENCE & EMERGING TECHNOLOGIES 9, 593-603, 2008.
- A17.** Bozkurt, H. ve M. Bayram, "Colour and textural attributes of sucuk during ripening", Meat Science, **73**, 344-350, (2006). Araştırmacının dışında, diğer araştırmacılar/kurumlar tarafından bu yayına 7 adet atıf yapılmıştır.
1. Yost M., Abu-Ali J.M., Barringer S.A., "Kinetics of potato color and texture development during baking, frying, and microwaving with the addition of liquid smoke" JOURNAL OF FOOD SCIENCE 71 (9): E364-E369 NOV-DEC 2006
 2. Dadali G., Apar D.K., Ozbek B. "Color change kinetics of okra undergoing microwave drying" DRYING TECHNOLOGY 25 (4-6): 925-936 2007
 3. Yan ZY, Sousa-Gallagher MJ, Oliveira FAR "Identification of critical quality parameters and optimal environment conditions of intermediate moisture content banana during storage" JOURNAL OF FOOD ENGINEERING 85 (2): 163-172 MAR 2008
 4. Campagnol PCB, Fries LLM, Terra NN, dos Santos BA, Furtado AS "Salami sausage prepared with Lactobacillus plantarum fermented in porcine plasma culture medium" CIENCIA E TECNOLOGIA DE ALIMENTOS 27, 883-889, OCT-DEC 2007
 5. Soysal C "Effects Of Green Tea Extract On "Golden Delicious" Apple Polyphenoloxidase And Its Browning" JOURNAL OF FOOD BIOCHEMISTRY 33; 134-148 FEB 2009
 6. Spaziani M, del Torre M, Stecchini ML "Changes of physicochemical, microbiological, and textural properties during ripening of Italian low-acid sausages. Proteolysis, sensory and volatile profiles" MEAT SCIENCE 81: 77-85 JAN 2009
 7. Eren I, Yildiz-Turp G, Kaymak-Ertekin F, et al. "The Effect of External Mass Transfer Resistance during Drying of Fermented Sausage" DRYING TECHNOLOGY 26: 1543-1551 2008

A18. Bozkurt, H. "Comparison the effects of sesame and Thymbra spicata oil during the manufacturing of Turkish dry-fermented sausage", *Food Control*, 18, 149-156, (2007). Araştırmacının dışında, diğer araştırmacılar/kurumlar tarafından bu yayına 1 adet atıf yapılmıştır.

1. Saydut A, Duz MZ, Kaya C, Kafadar AB, Hamamci C Transesterified sesame (*Sesamum indicum* L.) seed oil as a biodiesel fuel *BIORESOURCE TECHNOLOGY* 99 14 6656-6660 SEP 2008

A24. Celekli, A., Balci M. ve Bozkurt H. "Modelling of *Scenedesmus obliquus*; function of nutrients with modified Gompertz model", *Bioresource Technology*, 99, 8742-8747 (2008). Araştırmacının dışında, diğer araştırmacılar/kurumlar tarafından bu yayına 1 adet atıf yapılmıştır.

1. Celekli A, Yavuzatmaca M "Predictive modeling of biomass production by *Spirulina platensis* as function of nitrate and NaCl concentrations" *Bioresource Technology*, 100; 1847-1851, (2009).

D. ULUSAL HAKEMLİ DERGİLERDE YAYIMLANAN MAKALELER :

Uluslararası arası hakemli dergilerde yayınlanan eserlerine 2 adet atıf yapılmıştır.

D1. Bozkurt, H., F. Göğüş ve S. Eren, "Pekmezde maillard esmerleşme reaksiyonlarının kinetik modellemesi", *Turkish Journal of Engineering and Environmental Science*, 22, 455-460 (1998). Araştırmacının dışında, diğer araştırmacılar/kurumlar tarafından bu yayına 1 adet atıf yapılmıştır.

1. Karababa E, Isikli ND Pekmez: A traditional concentrated fruit product *FOOD REVIEWS INTERNATIONAL* 21 (4): 357-366 2005

D2. Bozkurt, H ve O. Erkmen, "Gıdaların kalitesinin belirlemede ve korumda modelleme", *Gıda Teknolojisi*, Yıl 4, 1, Ocak 99, 63-70 (1999). Araştırmacının dışında, diğer araştırmacılar/kurumlar tarafından bu yayına 1 adet atıf yapılmıştır.

1. Erkmen O "Mathematical modeling of *Escherichia coli* inactivation under high-pressure carbon dioxide" *J BIOSCI BIOENG* 92 (1): 39-43 JUL 2001